



Web [Show options...](#)

Results **1 - 10** of about **2,020,000** for **window field (vertex OR vertices OR mesh) (property OR properties**

Applied Electromagnetics Using Quickfield & Matlab - Google Books Result

by J. R. Claycomb - 2009 - Technology & Engineering - 400 pages

Figure 4.5 shows the **window** for editing **vertex** label data for electrostatics problems.

Uniform Electric **Field** and Dipole Sources Assuming a rectangular ...

books.google.com/books?isbn=076377751X...

[shielded rfi and emc filters allyl carbonate or cr39 embedded **mesh** ...](#)

The general **properties** of laminated **windows** are: Micro - fine **mesh** is laminated ...

Performance of an ITO **window** will depend on its impedance and the **field** ...

www.slaterplastics.com/shielded-rfi-emc-filter-windows.htm - [Cached](#) - [Similar](#)

Visual Basic :: How To Access **Mesh Properties** In VB.NET

Oct 1, 2007 ... How can I change the "Keep the taskbar on top of other **Windows**" **property** to unchecked at program start and then reset it before it gleicher Anzahl von **Vertices**.

Das habe ich per **Vertex**-Buffer ge- How can I read Access **field properties** in VB6. eg: **Field** name, description, length, type etc. ...

www.bigresource.com/VB-how-to-access-mesh-properties-in-VB-NET-CgnOr03XON.html - [Cached](#) - [Similar](#)

Optics Communications : Optimization of optical communication ...

In order to develop an optical communication **window mesh** with good optical ... According to Floquet's theorem, the scattered **field** integral equation for ... are the **characteristic** admittances of air and **window** substrate, respectively. ...

linkinghub.elsevier.com/retrieve/pii/S0030401808006123 - [Similar](#)
by J Tan - [Related articles](#)

Inferring **vertex properties** from topology in large networks



Oct 27, 2008

Inferring **vertex properties** from topology in large networks ... With collapsed Gibbs sampling it can be estimated for networks of 106 **vertices** or more ...

videolectures.net/mlg07_aukia_jvp/

Structured **mesh** generation and adjustment

Structured Grid dialog **window**: no automatic **mesh** refinement and phase ... the structured **mesh** is 0.005 m as indicated in the dialog **field** Default Grid: edge ... Change of the structured **mesh properties** at the auxiliary line at the side ...

www.cgi-erlangen.com/downloads/Manual/ch05s04s01.html - [Cached](#) - [Similar](#)

Sell Offers & Products of Anping bohua wire **mesh** factory

... spiral fabric, has the **characteristic** of stable **property** and long work time .The **mesh** is extensively used for producing cardboard, Kr.. ... and exporter in insect screen **field**

Window screening is used for industrial purposes, ... To see our intellectual **property** policy and for infringement claims click here. ...

www.tradekey.com/.../Anping-bohua-wire-mesh-factory.htm - [Cached](#) - [Similar](#)

1.13 Fields: Search and Display **Properties** with MARC

For example, a search on Serodiagnosis in **MeSH** 2000 will yield: 1.13.7 **Field** 7 Results

Display **Properties**: multiple, tab stop ... Simple Title Bar: the Search Results **windows** typically display the reason for the ... Control Fields Coded Values will also display the **Property** Leader & Control Fields names. ...

maple.cybertoolsforlibraries.com/.../IOPACUSER197.html - [Cached](#) - [Similar](#)

MeshGeometry3D.Positions **Property** (System.Windows.Media.Media3D)

Gets or sets a collection of **vertex** positions for a MeshGeometry3D. ... Identifier **field**. PositionsProperty. Metadata **properties** set to true. None. Remarks. The points specified by this **property** represent the **vertices** of the ... that make up each triangle of the **mesh** are specified) determines whether a given face is ...

msdn.microsoft.com/.../system.windows.media.media3d.meshgeometry3d.positions.aspx - [Cached](#) - [Similar](#)

UV Editor

Properties: Opens the UV editor **property window** where various editor settings can ... you can reduce excessive UV **mesh** complexity so that a suitable subset of data is ... UV coords and my_custom_uv: This menu group shows all UV type **vertex** ... This object type not only allows several UV channels mapped to **vertices**, ...

www.realsoft.com/realsoft/reference/.../windows/uvview.html - [Cached](#) - [Similar](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#)

[Next](#)

[Search within results](#) - [Language Tools](#) - [Search Help](#) - [Dissatisfied? Help us improve](#) - [Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)



(window OR GUI OR desktop) field (vertex OR vertices OR mesh) (property

Search

Web Show options...

Results 1 - 10 of about 2,000,000 for (window OR GUI OR desktop) field (vertex OR vertices OR mesh) (p

Gmsh 2.3: **Mesh** module

The **mesh** module commands mostly permit to modify the **characteristic** lengths and specify structured ... or in the **GUI** by selecting 'Apply as background **mesh**' in the ... A MathEval **field** specifies the size of the **mesh** using an explicit mathematical function. Coherence **Mesh**:: Removes all duplicate **mesh vertices**. ...
www.geuz.org/gmsh/doc/texinfo/gmsh_7.html - Cached - Similar

Applied Electromagnetics Using Quickfield & Matlab - Google Books Result

by J. R. Claycomb - 2009 - Technology & Engineering - 400 pages
 Figure 4.5 shows the **window** for editing **vertex** label data for electrostatics problems. Uniform Electric **Field** and Dipole Sources Assuming a rectangular ...
books.google.com/books?isbn=076377751X...

Adaptive Meshing Increases Confidence by **Desktop** Engineering

Jul 27, 2009 ... Also, if the **mesh** poorly represents the solution, errors in the fundamental **field properties** or satisfaction of boundary can be an indicator ...
www.deskeng.com/articles/aaarxr.htm - Cached - Similar

Optics Communications : Optimization of optical communication ...

In order to develop an optical communication **window mesh** with good optical ... According to Floquet's theorem, the scattered **field** integral equation for ... are the **characteristic** admittances of air and **window** substrate, respectively. ...
linkinghub.elsevier.com/retrieve/pii/S0030401806006123 - Similar
 by J Tan - Related articles

Changing the **properties** of a sketch - ArcGIS **Desktop** Help 9.1

You can insert **vertices** either before or after the **vertex** that you ... Click the z or m **field** in the table and type a new value. ... If you want the curve to have a specific radius, you can set the radius from the Fillet Options **window**. ...
webhelp.esri.com/arcgisdesktop/.../index.cfm?...Changing%20the%20properties%20of%20a%20sketch - Cached - Similar

Structured **mesh** generation and adjustment

Structured Grid dialog **window**: no automatic **mesh** refinement and phase ... of the structured **mesh** is 0.005 m as indicated in the dialog **field** Default ... lines will be indicated in the grid **properties** at the line **GUI** box. ... Change of the structured **mesh properties** at the auxiliary line at the side of the numerical ...
www.cgi-erlangen.com/downloads/Manual/ch05s04s01.html - Cached - Similar

Sell Offers & Products of Anping bohua wire **mesh** factory

... spiral fabric, has the **characteristic** of stable **property** and long work time .The **mesh** is extensively used for producing cardboard, Kr.. ... and exporter in insect screen **field** **Window** screening is used for industrial purposes, ... To see our intellectual **property** policy and for infringement claims click here. ...
www.tradekey.com/.../Anping-bohua-wire-mesh-factory.htm - Cached - Similar

1.13 Fields: Search and Display **Properties** with MARC

For example, a search on Serodiagnosis in **MeSH** 2000 will yield: 1.13.7 **Field** 7 Results
Display **Properties**: multiple, tab stop ... Search Results windows typically display the
reason for the **window** in the **window's** title bar, ... Fields Coded Values will also display
the **Property** Leader & Control Fields names. ...
maple.cybertoolsforlibraries.com/.../IOPACUSER197.html - [Cached](#) - [Similar](#)

Visual Basic :: How To Access **Mesh Properties** In VB.NET

Oct 1, 2007 ... There is only one private **property** (the string of course), ... gleicher Anzahl
von **Vertices**. Das habe ich per **Vertex**-Buffer ge- ... Then I tried to read the **properties** of
the conditional format I just created, in the Debug **window**: How can I read Access **field**
properties in VB6. eg: **Field** name, ...
www.bigresource.com/VB-how-to-access-mesh-properties-in-VB-NET-CgnOr03XON.html
- [Cached](#) - [Similar](#)

[solved] Duplicate live **desktop** folders from new PC added to **mesh**

Jun 16, 2009 ... I synced a folder on my home pc giving it a different live **mesh** name (ie
"Live **Mesh** Options" - "Change sync settings" - **field** Location is ... Now go back to the Live
Desktop and select the folder **properties** again ...
social.microsoft.com/.../LiveMesh/.../7ec98b15-3188-4b46-8a7f-5645d1408b01 -
[Cached](#) - [Similar](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

[Search within results](#) - [Language Tools](#) - [Search Help](#) - [Dissatisfied? Help us improve](#) -
[Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)



window application GUI field (property OR properties OR characteristic OR

Search

Web [Show options...](#)Results **1 - 10** of about **826,000** for **window application GUI field (property OR properties OR characterist**

[Introduction to the Swing **Application** Framework - NetBeans IDE ...](#)

Integration of framework features in the IDE's **GUI** Builder. ... button next to its action **property** in the **Properties window**. ... If you are creating a new action, use this text **field** to name the action method to be generated. ...

www.netbeans.org/kb/60/java/gui-saf.html - [Cached](#) - [Similar](#)

[Example: Constructing a panel with the **GUI** Builder](#)

GUI Builder **windows**: Changing text in the **Properties window**. Text **field** ... Figure 3: **GUI** Builder **windows**: Setting the Data Class **property** Here is what the **window** looks like when the **application** is compiled and run: ...

publib.boulder.ibm.com/infocenter/.../pdmiindex.htm - [Cached](#) - [Similar](#)

[Lesson: Using the NetBeans **GUI** Builder \(The Java™ Tutorials ...](#)

In the Projects pane, choose the Java **Application** type. ... **Properties Window**. A display of the **properties** of the component currently selected in the **GUI** ... In the Name **field** of the Add **Property** dialog box, type YourName and press OK. ...

www.j2ee.me/docs/books/tutorial/javabeans/nb/index.html - [Cached](#) - [Similar](#)

[StudioTips - **GUI** - Entry Fields](#)

Each entry **field** has a \$dataname **property**. The \$dataname points the entry ... entry **field** in a **window** or a complex grid there are 2 entry **field properties** ... In my **application** we have **windows** for Timesheet entry, Purchase Order entry ...

www.studiotips.net/docs/tips_gui/windows/entryfields.html - [Cached](#) - [Similar](#)

[Creating a Simple C# **GUI** **Application** with Visual Studio - Techotopia](#)

Jun 4, 2009 ... At the bottom of the **window** is a **field** for providing a project name. ... This and other **properties** relating to components are specified through the ... each component in the Form in turn and changing the (Name) **property**. ... You have now built for first **GUI** based C# **application** and are ready to ...

www.techotopia.com/.../Creating_a_Simple_C_Sharp_GUI_Application_with_Visual_Studio - [Cached](#) - [Similar](#)

[Stetic **GUI** Designer - MonoDevelop](#)

Jul 3, 2009 ... We could build and run the **application** now, lets do that just for fun. Change its "Name" **property** in the **Properties** tab of the Widget **Properties** pad to ... MonoDevelop creates a **field** for every widget in the **window**. ...

monodevelop.com/Documentation/Stetic_GUI_Designer - [Cached](#) - [Similar](#)

[\[PDF\] Lab 2 - Celsius to Fahrenheit Write a **GUI** **application** to convert ...](#)

File Format: PDF/Adobe Acrobat - [View](#)

Disable the Fahrenheit text **field**. (The enabled **property** is in the Model category. ... As you change the names of the components in the **Properties Window**, ...

linux2-cs.johnabbott.qc.ca/~david/web.../Celsius_to_Fahrenheit.pdf - [Similar](#)

[BH-**GUI** User Guide](#)

Jun 5, 2009 ... BH-**GUI** is started automatically when running the **Windows** XP and ... Prior to starting BotHunter, all **fields** are blank. ... The Preferences option under File Menu allows

you to configure various BH-**GUI application** options. ... miscellaneous timing and control **properties** that BH-**GUI** will use when ...
www.bothunter.net/doc/gui.html - [Cached](#) - [Similar](#)

ICCCM - Client to **Window** Manager Communication

Clients writing or rewriting **window** manager **properties** must ensure that the entire ... WM_NAME should not be used for **application**-critical information or to Adding other **fields** to this **property** is reserved to the X Consortium. ...
tronche.com/gui/x/iccm/sec-4.html - [Cached](#) - [Similar](#)

Windows Forms: A Modern-Day Programming Model for Writing **GUI** ...

Windows Forms are a new style of **application** built around classes in the In **Windows** Forms, it's easy: you just write the color to a **property** ... I'll use more of these **properties** later on, but for now, Text is the only one you need. First you add a **field** (_NativeSize) to store the user's preference. ...
msdn.microsoft.com/en-us/library/bb985977.aspx - [Cached](#) - [Similar](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

[Search within results](#) - [Language Tools](#) - [Search Help](#) - [Dissatisfied? Help us improve](#) -
[Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)



window application GUI field (vertex vertices mesh geometry) (property OR

Search

Web [Show options...](#)Results 1 - 10 of about 4,590 for **window application GUI field (vertex vertices mesh geometry) (property**

Network Transmission of 3D **Mesh** Data Using Progressive Representation

The **mesh geometry** can be denoted by a tuple (K, V) [2], ... Each **vertex** of the **mesh** is partitioned into a set of one or more wedges, and each the same with active **property**. The number of faces and **vertices** in the **mesh** is displayed. ... Below the **properties window** there is a view manager where we can save same ...

www.springerlink.com/index/q53011621p117186.pdf - [Similar](#)

by K Skabek - [Related articles](#)

CUBIT 10.1 Release Notes

New **GUI** Panels. **Vertex** Type Editor. Create Beam Panel. **Geometry** Power Tool Enhancements **Property** Panel Enhancements: The **property** panel, introduced in Cubit **geometry** and **mesh**. This includes attributes such as material **properties**, ... Assembly Tree: The standard Cubit **Geometry** Tree **Window** now incorporates ...

cubit.sandia.gov/release_notes/10.1.html - [Cached](#) - [Similar](#)

The LionSnake Modeler

The zoom no longer changes when the **application window** is resized. In **mesh** adding mode, when the user includes an existing **vertex** in the circuit of This is just like splitting, except that the **vertices** of the new **mesh** are Due to an inconsistency in the **Windows GUI**, some context menus appeared above ...

www.geocities.com/evilsnack/lionsnake.htm - [Cached](#) - [Similar](#)

A comparison of **mesh** simplification algorithms - Elsevier

Quick Search, All **fields**, Author. Search tips (Opens new **window**) •Re-tiling: New **vertices** are inserted at random on the original surface **mesh**, Preserving **mesh characteristics** is evaluated in columns 10–12 in terms of: the ... methods based on a sequence of local updates to the **mesh geometry/topology**. ...

linkinghub.elsevier.com/retrieve/pii/S0097849397000824 - [Similar](#)

by P Cignoni - 1998 - Cited by 310 - [Related articles](#)

[doc] > TOOLS PROPOSED TO THE TOOL REPOSITORY

File Format: Microsoft Word - [View as HTML](#)

Triangle **mesh** simplification through **vertex** decimation with construction of a Multi-Triangulation. the subset of functionalities required by this **application field**. ... **properties** and also supports traversal on the **mesh vertices** together the manipulation of manifold 3D **mesh** data within a **Windows MFC GUI**. ...

www.aimatshape.net/.../Tools%20proposed%20for%20sharing%20in%20the%20DSW.doc - [Similar](#)

The HOOPS 3D Graphics System

Vertex markers- The **vertices** of a shell/**mesh** are represented as markers which are The contents of their **field** of view is then mapped into a HOOPS/3dGS **window**. When the **application** needs to know what **geometry** the end-user is ... Typically, developers want to use HOOPS/3dGS with such **GUI** components as MFC ...

developer.hoops3d.com/.../tech.../TechnicalOverview_C.html - [Cached](#) - [Similar](#)

[modo 202 Reviewed, an ArchViz Tool - Welcome to CGarchitect.com](#)

Let us move deeper into the **GUI** next. Everything is accessible from the main ... All the transforms have numeric entry's in the tool **properties** for very ... The Add **Geometry** section has some of the common **mesh** editing tools handy for use ... Join allows you to select **vertices** and join to the last **vertex** selected as ...

www.cgarchitect.com/news/Reviews/Review052_1.asp - Cached - Similar

www.AGE3D.org - 3D engine - OpenGL & Direct3D

Geometry. **vertex** declaration; **vertex** buffer; index buffer. **Mesh** ... modify the shape of selected faces, **vertices**, edges and objects. mirror. mirror a **mesh** ...

www.age3d.org/index.asp?page0=container&page1... - Cached - Similar

[\[PPT\] slides - Computer Science Department at Princeton University](#)

File Format: Microsoft Powerpoint - [View as HTML](#)

Projection **properties** of the camera (PROJECTION matrix in OpenGL): Depth of **field**? ...

glEnd(); // Sends all the **vertices**/normals to the OpenGL library. OpenGL: glBegin()... ...

OpenGL computes the color at each **vertex** with a shading calculation: ... GLUT is a very simple API that supports creating **GUI**+OpenGL apps. ...

www.cs.princeton.edu/courses/archive/spr06/.../opengl_tutorial.ppt - Similar

[Extensions:Py/Scripts/Manual/Export/DXF - BlenderWiki](#)

This script exports **geometry** to DXF format (and optionally to DWG format). ... It is a

Windows console **application** (DOS-Box) and run also on Linux and OSX (on Wine). ...

DWG file with file-selector or type filename direct into the text **field**. ... Supported Object types and **properties**: Blender AutoCAD **mesh-vertex** ...

wiki.blender.org/index.php/Extensions:Py/Scripts/.../DXF - Cached - Similar

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#)

[Next](#)

[Search within results](#) - [Language Tools](#) - [Search Help](#) - [Dissatisfied? Help us improve](#) -
[Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)